

HAFFKINE BIO PHARMACEUTICAL CORPORATION LIMITED Procurement Cell (A Government of Maharashtra Undertaking) Regd. Office : Acharya Donde Marg, Parel, Mumbai 400 012 (INDIA)	
Phone No: 022- 24129320-23 General Manager (Procurement Cell) : 022-41	Website : http://www.vaccinehaffkine.com E-mail- procurementcell@haffkinemumbai.com
<u>URGENT</u>	No.: 2287-2289 / Haffkine/Procurement Cell / Non receipt of Bills /DMER (143.86) 2021-22 / 2024-25 Date: 18. 12 .2024

To,

All Concerned Suppliers,

Subject: - Notice due to non-receipt of Bills

Reference :- .Supply Orders issued in 2021-22 (DMER-143.86 Cr.) as per attached list.


Sir / Madam,

In context to various tender the Supply orders were issued to you in the year 2021-22. You were required to supply **the ordered medicine / Surgical Item / Consumable** to various consignees as mentioned in the supply order. However, considering the delivery period given in the supply order as per the attached table it is observed that you have failed to submit the bills or the information regarding the dispatches against the respective Supply Order. It appears a serious lapse on your part.

Hence, through this letter you are requested to share the supply position of **the ordered item and submit the bill along with all the necessary documents** latest by 27/12/2024. In case we do not receive any written communication for this matter from your side it will be considered that you have either not supplied nor interested to supply the ordered items hence the said order will be Cancelled and the funds for these orders will be returned back to the concerned authority and then we will be unable to disburse the payments regarding the same which may please be noted.

Thanking you,

Yours Faithfully,


(General Manager)
Haffkine Bio Pharmaceuticals Co. Ltd.
(Procurement Cell) Mumbai

C.c :- 1. Commissioner, Directorate of Medical Education & Research.

2: Account Dpt. HBPCCL (Procurement cell)

Sr.No.	Order Date	Order No	Tender No	Order Qty	Rate per Pc	Order Amount	Name of Bidder	Name of Item
1	08-03-22	6472	4365	55373	18.48	1023293	M/s. Pentagon Lab Ltd.	MULTIPLE ELECTROLYTES AND DEXTROSE INJECTION TYPES 1 USP (Pediatric Maintenance solution with 5% Dextrose injection) 500ml
2	30-03-22	6661	4364	28810	22.4	645344	M/s. S. M. Pharmaceuticals Pvt. Ltd.	Hydrogen Peroxide I.P 6% solution 500ml
3	30-03-22	6663	4364	7175	246.17	1766270	M/s. S. M. Pharmaceuticals Pvt. Ltd.	Solution containing Gluteraldehyde 2 % w/v with powder activator free of surfactant with stable alkaline PH for 14 day 5Lit.
4	23-04-22	6725	4364	51961	98	5092178	M/s. Snehal Pharma & Surgicals Pvt. Ltd.	Ordinary denatured spirit 1000 ml
5	18-07-22	7007	4380	1137	560	636720	M/s. Lab Care Diagnostics (India) Pvt. Ltd.	Leptospira IgM & IgG
6	19-07-22	7033	4382	202	45	9090	M/s. Dexcel Devices Pvt. Ltd.	Auto pipette tips Low Retention (RNA/DNA Free) 200 - 1000 ml
7	19-07-22	7034	4382	312	55.93	17450	M/s. Avantor Performance Materials India Ltd.	Microcentrifuge tube with cap 1500micro Lit.
8	19-07-22	7036	4382	234	55.93	13088	M/s. Dexcel Devices Pvt. Ltd.	Microcentrifuge tube with cap 1500micro Lit.
9	19-07-22	7037	4382	310	63.54	19697	M/s. Avantor Performance Materials India Ltd.	Microcentrifuge tube with cap 2000 micro Lit.
10	19-07-22	7039	4382	233	63.54	14805	M/s. Dexcel Devices Pvt. Ltd.	Microcentrifuge tube with cap 2000 micro Lit.
11	19-07-22	7054	4382	118	1101	129918	M/s. Avantor Performance Materials India Ltd.	Micropipettes (Fixed Volume) fully Autoclavable calibration for CE, ISO and IVD (1000 micro lit. fully Autoclavable calibration for CE, ISO and IVD)
12	19-07-22	7055	4382	33	36580	1207140	M/s. Dexcel Devices Pvt. Ltd.	Slide Cabinet
13	19-07-22	7056	4382	46	1101	50646	M/s. Avantor Performance Materials India Ltd.	Micropipettes (Fixed Volume) fully Autoclavable calibration for CE, ISO and IVD (200 micro lit. fully Autoclavable calibration for CE, ISO and IVD)
14	19-07-22	7058	4382	34	1101	37434	M/s. Dexcel Devices Pvt. Ltd.	Micropipettes (Fixed Volume) fully Autoclavable calibration for CE, ISO and IVD (200 micro lit. fully Autoclavable calibration for CE, ISO and IVD)
15	19-07-22	7059	4382	46	1101	50646	M/s. Avantor Performance Materials India Ltd.	Micropipettes (Fixed Volume) fully Autoclavable calibration for CE, ISO and IVD (100micro lit. fully Autoclavable calibration for CE, ISO and IVD)
16	19-07-22	7061	4382	68	1101	74868	M/s. Dexcel Devices Pvt. Ltd.	Micropipettes (Fixed Volume) fully Autoclavable calibration for CE, ISO and IVD (100micro lit. fully Autoclavable calibration for CE, ISO and IVD)
17	19-07-22	7062	4382	30	1416	42480	M/s. Avantor Performance Materials India Ltd.	Micropipettes (Variable Volume) fully Autoclavable calibration for CE, ISO and IVD (200-1000 micro lit. fully Autoclavable calibration for CE, ISO and IVD)
18	19-07-22	7063	4382	21	1416	29736	M/s. Dexcel Devices Pvt. Ltd.	Micropipettes (Variable Volume) fully Autoclavable calibration for CE, ISO and IVD (200-1000 micro lit. fully Autoclavable calibration for CE, ISO and IVD)

Sr.No.	Order Date	Order No	Tender No	Order Qty	Rate per Pc	Order Amount	Name of Bidder	Name of Item
19	19-07-22	7064	4382	32	1416	45312	M/s. Avantor Performance Materials India Ltd.	Micropipettes (Variable Volume) fully Autoclavable calibration for CE, ISO and IVD (20-200 micro lit. fully Autoclavable calibration for CE, ISO and IVD)
20	19-07-22	7067	4382	15	1416	21240	M/s. Dexcel Devices Pvt. Ltd.	Micropipettes (Variable Volume) fully Autoclavable calibration for CE, ISO and IVD (20-200 micro lit. fully Autoclavable calibration for CE, ISO and IVD)
21	19-07-22	7068	4382	28	1416	39648	M/s. Avantor Performance Materials India Ltd.	Micropipettes (Variable Volume) fully Autoclavable calibration for CE, ISO and IVD (50-200 micro lit. fully Autoclavable calibration for CE, ISO and IVD)
22	19-07-22	7071	4382	14	1416	19824	M/s. Dexcel Devices Pvt. Ltd.	Micropipettes (Variable Volume) fully Autoclavable calibration for CE, ISO and IVD (50-200 micro lit. fully Autoclavable calibration for CE, ISO and IVD)
23	19-07-22	7072	4382	32	1416	45312	M/s. Avantor Performance Materials India Ltd.	Micropipettes (Variable Volume) fully Autoclavable calibration for CE, ISO and IVD (2-20 micro lit. fully Autoclavable calibration for CE, ISO and IVD)
24	19-07-22	7075	4382	15	1416	21240	M/s. Dexcel Devices Pvt. Ltd.	Micropipettes (Variable Volume) fully Autoclavable calibration for CE, ISO and IVD (2-20 micro lit. fully Autoclavable calibration for CE, ISO and IVD)
25	19-07-22	7077	4382	116	150.45	17452	M/s. Star Diagnostics Pvt. Ltd.	Auto pipette tips taplon coated Low Retention (RNA/DNA Free) 55 x 6mm
26	19-07-22	7078	4382	116	150.45	17452	M/s. Dexcel Devices Pvt. Ltd.	Auto pipette tips taplon coated Low Retention (RNA/DNA Free) 55 x 6mm
27	19-07-22	7081	4382	85	141.6	12036	M/s. Star Diagnostics Pvt. Ltd.	Auto pipette tips taplon coated Low Retention(RNA/DNA Free) 50 x 6mm
28	19-07-22	7082	4382	85	141.6	12036	M/s. Dexcel Devices Pvt. Ltd.	Auto pipette tips taplon coated Low Retention(RNA/DNA Free) 50 x 6mm
29	19-07-22	7083	4382	1580	207	327060	M/s. Star Diagnostics Pvt. Ltd.	Auto pipette tips taplon coated Low Retention(RNA/DNA Free)20 x 100 mm
30	19-07-22	7084	4382	175	207	36225	M/s. Dexcel Devices Pvt. Ltd.	Auto pipette tips taplon coated Low Retention(RNA/DNA Free) 20 x 100 mm
31	19-07-22	7087	4382	87	159.3	13859	M/s. Star Diagnostics Pvt. Ltd.	Auto pipette tips taplon coated Low Retention (RNA/DNA Free) 70 x 8 mm
32	19-07-22	7088	4382	87	159.3	13859	M/s. Dexcel Devices Pvt. Ltd.	Auto pipette tips taplon coated Low Retention (RNA/DNA Free) 70 x 8 mm
33	20-07-22	7105	4382	132	207	27324	M/s. Dexcel Devices Pvt. Ltd.	Test Tubes 12X75 mm. , Borosilicate glass,ISO certified, WHO/GMP confirmed to / CE notified
34	19-07-22	7107	4382	55	754	41470	M/s. Dexcel Devices Pvt. Ltd.	Test Tubes 25X150 mm. , Borosilicate glass,ISO certified, WHO/GMP confirmed to / CE notified
35	20-07-22	7109	4382	81	297	24057	M/s. Dexcel Devices Pvt. Ltd.	Test Tubes 15x125mm. , Borosilicate glass,ISO certified, WHO/GMP confirmed to / CE notified
36	20-07-22	7111	4382	52	216	11232	M/s. Dexcel Devices Pvt. Ltd.	Test Tubes 12x100mm. , Borosilicate glass,ISO certified, WHO/GMP confirmed to / CE notified
37	20-07-22	7113	4382	103	180	18540	M/s. Dexcel Devices Pvt. Ltd.	Test Tubes 70x10mm , Borosilicate glass,ISO certified, WHO/GMP confirmed to / CE notified
38	20-07-22	7114	4382	461	810	373410	M/s. Star Diagnostics Pvt. Ltd.	Folin Wu Tubes
39	06-08-22	7371	4379	284	2004.82	569369	M/s. Himedia Laboratories Pvt. Ltd.	Readymade Sheepblood Agar Plate
40	06-08-22	7376	4379	104	306.8	31907	M/s. Micromaster Laboratories Pvt. Ltd.	Brain Heart Infusion broth (BHI)

Sr.No.	Order Date	Order No	Tender No	Order Qty	Rate per Pc	Order Amount	Name of Bidder	Name of Item
41	06-08-22	7379	4379	50	2758.84	137942	M/s. Micromaster Laboratories Pvt. Ltd.	Muller Hinton Agar
42	06-08-22	7383	4379	77	1710.24	131688	M/s. S. D. Fine Chem Ltd.	Whattmann Filter Paper no 1 & 3
43	12-08-22	7425	4376	50900	4.19	213271	M/s. Wellaxy Healthcare Pvt. Ltd.	Latex Examination Gloves Size-Small
44	12-08-22	7427	4376	233750	4.19	979413	M/s. Wellaxy Healthcare Pvt. Ltd.	Latex Examination Gloves Size - Medium
45	25-08-22	7505	4364	23652	268.8	6357658	M/s. S. M. Pharmaceuticals Pvt. Ltd.	Sodium Hypochlorite Solution U.S.P.containing not less than 4% and not more than 6% by weight of Sodium Hypochlorite Solution. Required item wise WHO GMP. (5lit. Can)
46	04-10-22	7611	4357	1169	203.84	238289	M/s. Scott Edil Pharmacia Ltd.	Meropenam 1 gm Inj
47	04-10-22	7621	4366	1858	195	362310	M/s. Ruthe Surgical Dressings	Absorbent Gauze Cloth as per schedule F-II of Drugs and Cosmetics Act.1940 Than of 90cm x 18 Mtrs
48	04-10-22	7638	4356	8525	7.36	62744	M/s. ANG Life Sciences Pvt. Ltd.	Tab. Azithromycin 500mg
49	04-10-22	7650	4356	211600	0.61	129076	M/s. Unicure India Ltd.	Tab. Paracetamol 500mg
50	06-10-22	7655	4379	88	4200	369600	M/s. Syndicate Diagnostics Pvt. Ltd.	Thromboplastin
51	06-10-22	7662	4358	69025	159.45	11006036	M/s. Sai Parentals Pvt. Ltd.	Enoxaparin Sodium 60mg Inj
52	10-10-22	7700	4377	225	63	14175	M/s. Mahakaal Enterprises	Clinical Autopsy Kit. (80 cm x 120 cm.)
53	10-10-22	7702	4377	225	63	14175	M/s. Trusted Medical Equipments Industries	Clinical Autopsy Kit. (80 cm x 120 cm.)
54	10-10-22	7706	4377	76	101.68	7728	M/s. Logicmax Technologies Pvt. Ltd.	Disposables Cautery Pencils
55	10-10-22	7707	4377	76	101.68	7728	M/s. Dexcel Devices Pvt. Ltd.	Disposables Cautery Pencils
56	10-10-22	7708	4377	1290430	0.31	400033	M/s. Trusted Medical Equipments Industries	Disposable Plastic gloves
57	10-10-22	7715	4377	1761	25.9	45610	M/s. IPC Healthcare Pvt. Ltd.	Oxygen mask (Adult)
58	10-10-22	7717	4377	1761	25.9	45610	M/s. Trusted Medical Equipments Industries	Oxygen mask (Adult)
59	10-10-22	7718	4377	1761	25.9	45610	M/s. Logicmax Technologies Pvt. Ltd.	Oxygen mask (Adult)
60	10-10-22	7719	4377	1761	25.9	45610	M/s. Dexcel Devices Pvt. Ltd.	Oxygen mask (Adult)
61	10-10-22	7725	4377	249	25.9	6449	M/s. IPC Healthcare Pvt. Ltd.	Oxygen mask (Paediatric)
62	10-10-22	7726	4377	249	25.9	6449	M/s. Trusted Medical Equipments Industries	Oxygen mask (Paediatric)
63	10-10-22	7727	4377	249	25.9	6449	M/s. Logicmax Technologies Pvt. Ltd.	Oxygen mask (Paediatric)
64	10-10-22	7728	4377	248	25.9	6423	M/s. Dexcel Devices Pvt. Ltd.	Oxygen mask (Paediatric)
65	10-10-22	7730	4377	1488	19.2	28570	M/s. IPC Healthcare Pvt. Ltd.	Oxygen tube with nasal prongs
66	10-10-22	7734	4377	1488	19.2	28570	M/s. Trusted Medical Equipments Industries	Oxygen tube with nasal prongs
67	10-10-22	7735	4377	1488	19.2	28570	M/s. Logicmax Technologies Pvt. Ltd.	Oxygen tube with nasal prongs
68	10-10-22	7738	4377	496	97.53	48375	M/s. Breathcare Surgical	Disposable Ventilator Tubings size-Adult
69	10-10-22	7740	4377	228010	3.89	886959	M/s. Wellexly Healthcare Pvt. Ltd.	ECG Electrodes for Adult
70	17-10-22	7748	4376	6800	5.4	36720	M/s. Trusted Medical Equipments Industries	Sanitary Napkins with Belt ETO sterile
71	14-11-22	7800	4357	68320	15.57	1063742	M/s. Maxmed Lifesciences Pvt. Ltd.	Ceftriaxone Sodium 1 gm Inj
72	14-11-22	7801	4357	1000	176.96	176960	M/s. Sai Parentals Pvt. Ltd.	Heparin Sodium 5000 I.U./ml Inj 5ml Vial

Sr.No.	Order Date	Order No	Tender No	Order Qty	Rate per Pc	Order Amount	Name of Bidder	Name of Item
73	14-11-22	7808	4357	177	203.84	36080	M/s. Scott Edil Pharmacia Ltd.	Meropenam 1 gm Inj
74	21-11-22	7820	4371	591376	0.84	496756	M/s. Kishkindha Group	Triple Layer Face Mask Standard with elastic strings
75	21-11-22	7827	4371	819000	0.84	687960	M/s. Kishkindha Group	Triple Layer Face Mask Standard size with 4 tie strings
76	21-11-22	7833	4382	4	279.87	1119	M/s. Avantor Performance Materials	Eppendroff Tubes 1.5- 2ml for PCR (1x500)
77	21-11-22	7834	4382	6	279.87	1679	M/s. Dexcel Devices Pvt. Ltd.	Eppendroff Tubes 1.5- 2ml for PCR (1x500)
78	21-11-22	7835	4382	5	532.18	2661	M/S. S.D Fine Chem Limited	Barrier tips 10ul (10X96)
79	21-11-22	7836	4382	30	391.76	11753	M/S. S.D Fine Chem Limited	Barrier tips 20ul (10X96)
80	21-11-22	7837	4382	5	391.76	1959	M/S. S.D Fine Chem Limited	Barrier tips 200ul (10X96)
81	21-11-22	7838	4382	55	431.88	23753	M/S. S.D Fine Chem Limited	Barrier tips 1000ul (10X96)
82	21-11-22	7843	4377	6049	37.4	226233	M/s. Logicmax Technologies Pvt. Ltd.	Dial Flow Meter
83	21-11-22	7844	4377	6048	37.4	226195	M/s. Dexcel Devices Pvt. Ltd.	Dial Flow Meter
84	21-11-22	7847	4377	104	520	54080	M/s. Trusted Medical Equipments Industries	NIV Mask size-Large
85	21-11-22	7848	4377	104	520	54080	M/s. Logicmax Technologies Pvt. Ltd.	NIV Mask size-Large
86	21-11-22	7849	4377	104	520	54080	M/s. Dexcel Devices Pvt. Ltd.	NIV Mask size-Large
87	22-11-22	7855	4377	26269	3.02	79332	M/s. Mahakaal Enterprises	Plastic Apron
88	22-11-22	7856	4377	26269	3.02	79332	M/s. Trusted Medical Equipments Industries	Plastic Apron
89	22-11-22	7861	4377	242	75.32	18227	M/s. Logicmax Technologies Pvt. Ltd.	Incentive Spirometer 3 ball
90	22-11-22	7862	4377	242	75.32	18227	M/s. Dexcel Devices Pvt. Ltd.	Incentive Spirometer 3 ball
91	22-11-22	7868	4377	34665	0.9	31199	M/s. Trusted Medical Equipments Industries	Surgeon Cap
92	22-11-22	7871	4377	926	46.69	43235	M/s. Trusted Medical Equipments Industries	Disposable delivery kit
93	22-11-22	7875	4377	633	14.84	9394	M/s. Breathcare Surgical	Airway Plastic (oral) Size 0,1,2,3,4,5
94	22-11-22	7876	4377	633	14.84	9394	M/s. Logicmax Technologies Pvt. Ltd.	Airway Plastic (oral) Size 0,1,2,3,4,5
95	22-11-22	7877	4377	632	14.84	9379	M/s. Dexcel Devices Pvt. Ltd.	Airway Plastic (oral) Size 0,1,2,3,4,5
96	22-11-22	7878	4377	440	35	15400	M/s. Dexcel Devices Pvt. Ltd.	Nebulisation mask with Hudsons chamber pre-sterilised disposable
97	22-11-22	7879	4377	632	14.84	9379	M/s. Trusted Medical Equipments Industries	Airway Plastic (oral) Size 0,1,2,3,4,5
98	22-11-22	7881	4377	440	35	15400	M/s. Trusted Medical Equipments Industries	Nebulisation mask with Hudsons chamber pre-sterilised disposable
99	22-11-22	7882	4377	440	35	15400	M/s. Logicmax Technologies Pvt. Ltd.	Nebulisation mask with Hudsons chamber pre-sterilised disposable
100	22-11-22	7883	4377	17638	21.94	386978	M/s. Wellexly Healthcare Pvt. Ltd.	ECG/Ultrasonography jelly
101	22-11-22	7885	4377	1037	21.94	22752	M/s. Trusted Medical Equipments Industries	ECG/Ultrasonography jelly
102	22-11-22	7888	4377	75	1120	84000	M/s. Logicmax Technologies Pvt. Ltd.	Oxygen Flow Meter with humidifier bottle
103	22-11-22	7889	4377	74	1120	82880	M/s. Dexcel Devices Pvt. Ltd.	Oxygen Flow Meter with humidifier bottle
104	22-11-22	7899	4377	65	535	34775	M/s. Trusted Medical Equipments Industries	NIV Mask size-Small
105	22-11-22	7900	4377	65	535	34775	M/s. Logicmax Technologies Pvt. Ltd.	NIV Mask size-Small

Sr.No.	Order Date	Order No	Tender No	Order Qty	Rate per Pc	Order Amount	Name of Bidder	Name of Item
106	22-11-22	7901	4377	65	535	34775	M/s. Dexcel Devices Pvt. Ltd.	NIV Mask size-Small
107	22-11-22	7903	4377	121	559.14	67656	M/s. Trusted Medical Equipments Industries	NIV Mask size,Medium
108	22-11-22	7904	4377	121	559.14	67656	M/s. Logicmax Technologies Pvt. Ltd.	NIV Mask size ,Medium
109	22-11-22	7905	4377	121	559.14	67656	M/s. Dexcel Devices Pvt. Ltd.	NIV Mask size,Medium
110	22-11-22	7907	4377	1028	78.36	80554	M/s. IPC Healthcare Pvt. Ltd.	Yankauer Suction Set
111	22-11-22	7919	E-4376	985300	4.19	4128407	M/s. Wellaxy Healthcare Pvt. Ltd.	Latex Examination Gloves Size-Large
						42863758		